## WARRANTED EXTRA CAST-STEEL CIRCULAR SAWS

PATENT GROUND, SUPERIOR WORKMANSHIP AND QUALITY.



IGGHT HAND SAW.

#### Directions for Ordering Saws.

When ordering Circular Saws, the following directions should be explicitly given:

WHETHER RIP OR CROSS-CUT.

Diameter of Saw in inches. Danneter of saw in inteness.
Thickness or gauge of Saw at rim.
Thickness or gauge of Saw at centre.
Right or left hand Saw (see engraving above).
Number of teeth in Saw. Size of mandrel hole.

Size of pin holes. Size of pin noises.

Distance between pin holes from centre to centre. Greatest feed at each revolution of Saw in inches Kind of humber to be sawed.

Number of revolutions of Saw per minute.

Whether swedge or set.

A very correct way to get the size of the holes is to place a piece of writing paper on the inside of the loose collar or flange, and press it round the holes with the fluger, which will leave the impression of the eye and pin holes on the

SIZE.	GAUGE.	Paics.	Each Additional Gauge Extra.	Mandrel I	of Hele.	Prices for Beveling New Saws (Grinding or Beveling Old Saws Extra.)	No. of itevolution per Minute.
3 iu.	19	\$ 0.72	\$ 0 05	5 8 is	nch.		5100
4	19	0.75	0.06	5-8	11		4900
3	19	1.00	0.08	5-8	**		4700
6	18	1.15	0.10	5-8	"		4500
7	18	1.40	0.12	3-4	"		4200
8	18	1.68	0.14	3-4			4000
9	17	1.05	0.16	1	"		3750
10	16	2.25	0.18	l i	"	8 0.50	8500
12	15	2.85	0.20	i	"	0.50	3200
14	14	3.50	0.24	i		0.60	2700
16	14	4.40	0.30	i 1-8	"	0.70	2300
18	14	5.30	0.45	1 1-8	"	0.80	2000
20	13	6.80	0.48	1 1-8	"	0.90	1800
90	12	7.40	0.52	1 1-4	"	1.00	1650
24	11	8.60	0.60	1 1-1	"	1.20	1475
26	ii	9,90	0.70	1 3-8		1.40	1350
28	ii	12.00	0.80	1 8-8	"	1 60	1275
30	10	14.00	0.00	1 1.2	**	1 80	1200
32	10	16,50	1.00	1 1-2	"	2.00	1125
31	10	18.70	1.20	1 1.2	H	2 20	1060
36	9	21.00	1.50	1 1.2	40	2.40	1000
38		24.20	1.76	1 1.2	**	2.60	950
40	9 8 7 7	29.40	2.25	1 5-8	"	3.00	900
42		34.65	2.75	1 3-4	**	8.50	870
14	8	42.00	3.20		11	3.70	818
46	7		3.75		11	3.80	800
48	6	19.25				4.00	760
50	6	57.75	4.50 4.75	2	10	4.20	725
		65.65		2	**	4.30	. 700
52	6	76.00	6.30	2	**		675
51 56	6	80 75	7.60	2	10	4.50	650
	5	107.50	9,00	2	**	4 80	625
58	5	126.50	10,00	2	11		600
60	5	130.00	12.00	2	11	5.00	
62	4	162.75	13.50	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	99	5.20	575
61	4	189.00	15.75	2	91	5.40	550
66	4	200,00	18.00	2	11	5.50	525
68	3	226.00	20.00	2 1-2	19	5.70	500
70	8	252.00	22.50	2 1-2	11	5.90	475
72	3	284.00	25.00	2 1 2	10	6.00	450

Common Tooth



No. 3 - Lance Tooth



Keen Duster

No. 1-Lance Tooth



No. 0.-Lance Tooth


Price



Improved Champion



### Perforated Improved Champion



No. 2.- One Man Cross-Cut Saw, with Common Double Handle

Patent Double Handle One Man Cross-Cut Saws





Patented April 28th, 1874.

No. 1.-One Man Cross-Cut Saw, with Lion Handle

Sold by the foot, same price as other Cross-Cut Saws. Any kind of tooth desired.

Handles, \$0.30 each, extra.

### With Common Double Handle

Improved Diamond Tooth	ft.	1.	48 ft.	5 ft.
improved Diamond Tooth	00 3	B 30	35.00	\$5.50
Hanlau Tooth 4.	66	4.50	5.00	5.50
improved Champion Tooth 9	85	3.25	3.75	4.25
Dominion Tooth 2	85	2 45	3.75	4.25
Common Tooth	83	3.25	3.75	4.25
30. I. Maple Leaf Lance Tooth	22	4.30	4.78	5.25
oo o mane leaf lance (Racer).	00	4.50	5.00	5.50
10, 2, Lance Tooth	0.5	3.30	3.65	4.00
and a Lance Tooth	60	2.90	3.20	3.50
Perforated Improved Champion Tooth 3.	70	4.20	4.70	5.25

The above are set and filed, ready for use.

# THE NARROW RACER



NARROW RACER, FOR SAWING LOGS OR TREES.

This Saw stands without a rival, and is the fastest cutting narrow saw in the world, working with LESS FRICTION and greater ease. For sawing all kinds of wood it has no equal.

Box for Pit Saws

Tiller for Pit Saws



Boxes ...... Each \$1.00

Tillers..... Each \$1.25

Shurly & Dietrich's Warranted Extra Tempered Pit Saws




T 41 6			Anib	Saws	3			
Length, feet	<b>5</b> \$3.00	••••	<b>5 1-2</b> 3.30		8,60	 <b>6 1-2</b> 3,90	 7	7 1-2 4.50

# PATENT CROSS-CUT SAW HANDLES








No. 2-LION.

No. 5.

No. 2-Lion. For one man saws	20. 20
Na. 3—Wrought iron loop	20.30
Boynton pattern, bolted through handle, wrought iron loop	.25
Vo 5 - Wrought iron loop	. 39
No. 5 – Wrought iron loop	. 25






No. 7.

No. 6-Adjustable cross-cut saw handles
No. 7-Cross-cut saw handles


#### WOOD SAW FRAMES

### Wood Saws, Framed

WITH LOOP ROD. 80 lnch blades.



COMMON TOOTH-STAMPED "J. DOUGLASS"-SET AND FILED.



#### "Happy Medium"

Patented August 21st, 1878.

SHURLY & DIETRICH'S EXTRA, TAPERED BLADES.


Unpainted frame. Per dozen \$7.50 Red painted frame. Per dozen \$8.00

Packed complete, half dozen in box.

### WOOD SAWS, FRAMED

WITH LOOP ROD.

30 inch blades.



"Watch Spring"

Red painted frame, narrow blued clock spring steel blade ..... ... ...........Per dozen \$8.00 Packed complete, half dozen in a box.

Common Sense

Red painted frame, silver steel lightning blade...... Half dozen in a box.



Patent Empire

Varnished frame, silver steel blade ..... ......Per dozen \$10.75 Half dozen in a box.

### WOOD SAW BLADES



#### COMMON TOOTH.

No. 28—J. Douglass, set and filed, 30 lnch	Perduzan és a
No. 19-Shurly & Dietrich, set and filed, 2 inch wide, 30 inch	Paralogon 4 to

#### LIGHTNING TOOTH.


No. 22-Shurly & Dietrich, set and filed, 2 inch wide, 30 inch	n 8.5
---	-------

#### Saw Rods



One dozen in a package.

# Folding Saw Bucks



No. 1—Plain square edges, 30 inches high, 18 inches wide, turned rounds used in place of flat pieces nailed on, as shown. Half dozen in package. Per doz., \$4,25.



No. 2—Band sawed and shaped edges, painted, same size as No. 1. The best folding saw buck made. Half dozen in package. Per doz. \$6,25.



No. 40.

No. 40 - Combination, etched "Caconna," 26 luch ..... 



No. 8.



No. 10.

A R. Perry & Bro.

Cast Steel.

No. 10-26 inch . ...... Per dozen \$6,50



No. 11.

#### Hanlan

No. 11-26 inch ..... ....Per dozen \$8.00



No. 25.

## Enterprise

Cast Steel.

No. 25—26 inch	Per dozen \$10.25
No. 25—28 inch	Por dozon 19 m



#### Brown & Co.

Cast Steel.

No.	9-26 inchPer dozen \$	00
No	0 98 lands	\$11.00
1104	9—28 Inch	12.50
No. 1	19—26 inch, Dunn & Co	10.00
	One anatomic Per dozen	10.00
	One-quarter dozen in a package.	



No. 6.

### Clipper

 No. 6—26 inch
 .Per dozen \$15.00

 No. 6—2s inch
 .Per dozen 17.00




No. 7.

#### Jackson & Co.

Cast Steel.

 Inch
 18
 20
 22
 26
 28

 Per dozen
 \$7.50
 8.50
 10.50
 15.50
 17.50





No. 5.

## Shurly & Dietrich

Spring Steel, Warranted. Beech Handle.

Per dozen.	<b>18</b>	20	<b>22</b>	26	28
	\$11.50	14.00	15.50	18.00	21.00

One-third dozen in a box.



No. 4.

## Shurly & Dietrich

Spring Steel, Warranted. Beech Handle.

HOLLOW BACK.

Inch...... Per dozen . **26** 18.00 No. 14-Straight back, beech handle, 26 inch . . . . .....Per dozen \$18,00



No. 41/2.

## Shurly & Dietrich

Spring Steel, Warranted. Beech Handle.

HOLLOW BACK.

No. 14 1-2-26 inch, "Royal Oak" spring steel, fancy apple wood handle ..... · · · · · · Per dozen



No. 51/2.

# Shurly & Dietrich

Spring Steel, Warranted. Beech Handle.

One-third dozen in a box.



No. 45.

## Shurly & Dietrich-"D. S"

Silver Steel, Highly Finished Blade, Apple Wood Handle, Raised Screws. 28 No. 45½ same as No. 45, but with Beech Handle. 28 26.50

Henry Disston & Sons' Warranted Cast Steel, Patent Ground and Tempered, Hand and Rip Saws



No. 7.

Disston & Sons' Cast Steel, Warranted Beech Handle, Polished Edge, 4 Improved Screws, Grained Blade. 22

Henry Disston & Sons' Warranted Spring Steel, Patent Ground and Tempered, Hand, Panel and Rip Saws



D-8.

Disston & Sons' Skew-Back Saw, Apple Handle, Polished Edge, 5 Improved Screws.

18 .... 20 .... 22 .... 26 .... 28 Per dozen .... 

One-third dozen in a box.

# GENTS' HALF BACK SAWS



No. 12.

Inch	Silver Steel, Highly Polished Blade, Warranted. Apple Wood I	landle.		
Per dozen		18		20
	One-third dozen in a hox.	\$21.70	• • • • •	24.50

## Movable Back Panel Saws



No 14.

This saw can be used with equal facility for either a hand or back saw. When the back (A) is removed the saw can be used as a hand saw. Replace the back, and a first-class back saw is the result.

· · · · · · · · · · · · · · · · · · ·	r out a 12 ft	de restiit.			
Inch	\$15.00	<b>20</b> 17.00	<b>22</b> 19.00	24 21.00	26 23.00

#### Back Saws



No. 2.—Shu	ırly & Die	etrich.				
Extra Refined Spring Steel, Poli	shed Bac	k, Etched.	Beech H	andle.		
Inch. Per dozen	<b>10</b> \$15.50	12 17.50	14 19.50	1 <b>6</b> 22.00	18 25.00	20 29.00
No. 3—Shu	rly & Die	trich.				
Extra Refined Spring Steel, Blue		Etched. 1	Beech Han	dle.		
Inch Per dozen :	<b>10</b> \$16.50	12 18.50	14 20.50	<b>16</b> 23.00	18 26.00	20 30.00
No. 7—Jac	ckson &	Co.				
0						

	2.0	- ucit	3011 01 01	<i>,</i> .	
Cast Steel, Po	lished	Back.	Etched	Reach	Handla

Den January	10	12	14	16	18
Per dozen	\$12.00	14.00	16.00	18.00	20.00

## **COMPASS SAWS**



No. 19-GROUND THIN ON BACK.

			•				
Iach	<b>10</b> \$3.50	••••	12	••••	14 4.00		16 4.25
N	No. 20,						
Inch	<b>10</b> \$3.25	••••	<b>12</b> 3.50	••••	14 3.75		16 4.00
Disston's A	APPLE HA	NDLE.					
Inch							
Per dozen	• • • • • • • • • •			•••••	12	••••	14
	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • •		\$1.50		4.75

# Nests of Saws - Disston's

Patented May 26, 1874. Combining one each, keyhole, compass and table or pruning saw.



Three sets in a box	
Three sets in a box	812.00
Handles and screws only Per dozen sets \$ Kerhole blades only	2.50
Pruning blades only	5.00

# Pruning Saws



No. 16.

14		16		10		
			• • • •	19		20
\$6.00		7 00				
		7.00	• • • •	7.50		8.00
	14 \$6.00	<b>14</b> \$6.00	14 16 \$6.00 7.00	14 16 \$6.00 7.00	\$6.00 7.00	\$6.00 7.00 7.50

# DOUBLE EDGE PRUNING SAWS



Coarse teeth on one side, fine on the other.

#### **Butcher Saws**



#### No. 1-FLAT STEEL BACK.

 Inch
 20
 22
 24
 26

 Per dozen
 \$25.00
 26.00
 27.00
 28.00

No. 15-22 INCH, FLAT STEEL BACK.



No. 2-OVAL BACK.

 Inch
 18
 20
 22
 24
 26

 Per dozen
 \$17.33
 18.50
 19.60
 20.75
 21.85

### Kitchen Saws



#### No. 7-ROUND IRON BACK.

 No. 7—14 inches.
 Per dozen \$3.0

 No. 65—14 inches.
 Per dozen 6.0

 No. 65—16 inches.
 Per dozen 6.3